

Solid fin tubes sizes

TUBE O.D.		FIN THICKNESS		MAXIMUM FIN HEIGHT		FINS PER METER		FINS PER INCH	
mm	inch	mm	inch	mm	inch	Min.	Max. *	Min.	Max.
25.4	1.000	0.90-2.60	0.036-0.102	13	0.5	79	276	2	7
26.7	1.050	0.90-2.60	0.036-0.102	13	0.5	79	276	2	7
31.8	1.250	0.90-2.60	0.036-0.102	13-16	0.5-0.625	79	276	2	7
33.4	1.315	0.90-2.60	0.036-0.102	13-16	0.5-0.625	79	276	2	7
38.1	1.500	0.90-2.60	0.036-0.102	16	0.625	39	276	1	7
42.2	1.660	0.90-2.60	0.036-0.102	15-19	0.625-0.750	39	276	1	7
44.5	1.750	0.90-2.60	0.036-0.102	19-22	0.750-0.875	39	276	1	7
48.3	1.900	0.90-3.00	0.036-0.134	19-22	0.750-0.875	39	276	1	7
50.8	2.000	0.90-3.00	0.036-0.134	19-22	0.750-0.875	39	276	1	7
57.1	2.250	0.90-3.00	0.036-0.134	19-22	0.750-0.875	39	276	1	7
60.3	2.375	0.90-3.00	0.036-0.134	19-22	0.750-0.875	39	276	1	7
63.5	2.500	0.90-3.00	0.036-0.134	19-22	0.750-0.875	39	276	1	7
73.0	2.875	0.90-3.00	0.036-0.134	19-22	0.750-0.875	39	276	1	7
76.2	3.000	0.90-3.00	0.036-0.134	19-22	0.750-0.875	39	276	1	7
88.9	3.500	0.90-3.00	0.036-0.134	22-25	0.875-1.000	39	276	1	7
101.6	4.000	0.90-3.00	0.036-0.134	22-25	0.875-1.000	39	276	1	7
114.3	4.500	0.90-3.00	0.036-0.134	22-25	0.875-1.000	39	276	1	7
127.0	5.000	0.90-3.00	0.036-0.134	22-25	0.875-1.000	39	276	1	7
141.3	5.563	0.90-3.00	0.036-0.134	25	1.000	39	276	1	7
152.4	6.000	0.90-3.00	0.036-0.134	25-32	1.000-1.250	39	276	1	7
168.3	6.625	0.90-3.00	0.036-0.134	25-32	1.000-1.250	39	276	1	7
219.1	8.625	0.90-3.00	0.036-0.134	25-32	1.000-1.250	39	276	1	7

Serrated fin tube sizes

TUBE O.D.		FIN THICKNESS		MAXIMUM FIN HEIGHT		FINS PER METER		FINS PER INCH	
mm	inch	mm	Inch	mm	inch	Min.	Max. *	Min.	Max.
25.4	1.000	0.90-1.25	0.036-0.049	19	0.750	79	276	2	7
26.7	1.050	0.90-1.25	0.036-0.049	19	0.750	79	276	2	7
31.8	1.250	0.90-1.25	0.036-0.049	22.2	0.875	79	276	2	7
33.4	1.315	0.90-1.25	0.036-0.049	22.2	0.875	79	276	2	7
38.1	1.500	0.90-1.25	0.036-0.049	25.4	1.000	39	276	2	7
42.2	1.660	0.90-1.25	0.036-0.049	25.4	1.000	39	276	2	7
44.5	1.750	0.90-1.25	0.036-0.049	25.4	1.000	39	276	2	7
48.3	1.900	0.90-2.00	0.036-0.079	25.4	1.000	39	276	2	7
50.8	2.000	0.90-2.00	0.036-0.079	31.8-38.1	1.250-1.500	39	276	2	7
57.1	2.250	0.90-2.00	0.036-0.079	31.8-38.1	1.250-1.500	39	276	2	7
60.3	2.375	0.90-2.00	0.036-0.079	31.8-38.1	1.250-1.500	39	276	2	7
63.5	2.500	0.90-2.00	0.036-0.079	31.8-38.1	1.250-1.500	39	276	2	7
73.0	2.875	0.90-2.00	0.036-0.079	38.1	1.500	39	276	2	7
76.2	3.000	0.90-2.00	0.036-0.079	38.1	1.500	39	276	2	7
88.9	3.500	0.90-2.00	0.036-0.079	38.1	1.500	39	276	2	7
101.6	4.000	0.90-2.00	0.036-0.079	38.1	1.500	39	276	2	7
114.3	4.500	0.90-2.00	0.036-0.079	38.1	1.500	39	276	2	7
127.0	5.000	0.90-2.00	0.036-0.079	38.1	1.500	39	276	2	7
141.3	5.563	0.90-2.00	0.036-0.079	38.1	1.500	39	276	2	7
152.4	6.000	0.90-2.00	0.036-0.079	38.1	1.500	39	276	2	7
168.3	6.625	0.90-2.00	0.036-0.079	38.1	1.500	39	276	2	7
219.1	8.625	0.90-2.00	0.036-0.079	38.1	1.500	39	276	2	7

Steel studded tube sizes

TUBE O.D.		STANDARD STUD Ø		MAXIMUM STUD ROW		MIN TO MAX STUD HEIGHT		STANDARD PITCH	
mm	inch	mm	inch	quantity		mm	inch	mm	inch
60.3	2.375	12.7	0.5	8		16-65	5/8-21/2	16	5/8
73.0	2.875	12.7	0.5	10		16-65	5/8-21/2	16	5/8
88.9	3.500	12.7	0.5	12		16-65	5/8-21/2	16	5/8
101.6	4.000	12.7	0.5	14		16-65	5/8-21/2	16	5/8
114.3	4.500	12.7	0.5	18		16-65	5/8-21/2	16	5/8
141.3	5.563	12.7	0.5	20		16-65	5/8-21/2	16	5/8
168.3	6.625	12.7	0.5	24		16-65	5/8-21/2	16	5/8
219.1	8.625	12.7	0.5	30		16-65	5/8-21/2	16	5/8

* Max n° of fins per Meter can be used for fin thicknesses ≤ 1.5mm, for heavier fin wall thickness / Max n° of fins per meter will be advised on request.

** This technical data is indicative of our Standard manufacturing range. On request, we are able to consider other combinations and tube dimensions that your project may require.